

## **Author Index,<sup>1</sup> 1998**

### *The Telecommunications and Mission Operations Progress Report*

*42-133, January–March 1998*  
*42-134, April–June 1998*  
*42-135, July–September 1998*  
*42-136, October–December 1998*

#### **Abbate, S.**

- 42-134 Remote Operations of the Deep Space Network Radio Science Subsystem, pp. 1–10.  
See Caetta, J.

#### **Ahlstrom, Jr., H. G.**

- 42-135 Design and Performance of the DSS-14 Antenna Controller, pp. 1–9.  
See Gawronski, W.

#### **Arabshahi, P.**

- 42-134 Power Spectrum of MSK-Type Modulations in the Presence of Data Imbalance, pp. 1–20.  
See Simon, M. K.
- 42-136 Trellis-Coded Quadrature-Phase-Shift Keying (QPSK) With Variable Overlapped Raised-Cosine Pulse Shaping, pp. 1–16.  
See Simon, M. K.

---

<sup>1</sup> In the case of joint authorship, the reader is referred to the citation under the first author, where all the authors of the article are listed.

**Armstrong, J. W.**

42-135 An Earth-to-Deep-Space Optical Communications System With Adaptive Tilt and Scintillation Correction Using Near-Earth Relay Mirrors, pp. 1–7.

C. Yeh and K. E. Wilson

**Asmar, S.**

42-134 Remote Operations of the Deep Space Network Radio Science Subsystem, pp. 1–10.

See Caetta, J.

**Bernardo, A. B.**

42-135 Design and Performance of the DSS-14 Antenna Controller, pp. 1–9.

See Gawronski, W.

**Berner, J. B.**

42-135 Flexible Carrier Loop Design for the Spacecraft Transponding Modem (STM), pp. 1–11.

J. M. Layland and P. W. Kinman

**Beyer, P. E.**

42-133 Deep Space Network Support for the Galileo Mission to Jupiter: Jupiter Orbital Operations From Post-Jupiter Orbit Insertion Through the End of the Prime Mission, pp. 1–23.

B. G. Yetter, R. G. Torres, and D. J. Mudgway

**Branson, R. P.**

42-133 The JPL Extragalactic Radio Reference Frame: Astrometric Results of 1978–96 Deep Space Network VLBI, pp. 1–55.

See Jacobs, C. S.

**Caetta, J.**

42-134 Remote Operations of the Deep Space Network Radio Science Subsystem, pp. 1–10.

S. Asmar, S. Abbate, M. Connally, and G. Goltz

**Chen, F.**

42-134 Spectral Analysis Tool (SAT) for Radio-Frequency Interference Analysis and Spectrum Management, pp. 1–11.

See Lo, V. Y.

**Coker, R. F.**

42-133 The JPL Extragalactic Radio Reference Frame: Astrometric Results of 1978–96 Deep Space Network VLBI, pp. 1–55.

See Jacobs, C. S.

**Connally, M.**

42-134 Remote Operations of the Deep Space Network Radio Science Subsystem, pp. 1–10.

See Caetta, J.

**Davis, L.**

42-135 Recent Results With Coupled Opto-Electronic Oscillators, pp. 1–8.

See Yao, X. S.

**Deutsch, L. J.**

42-136 NASA's Deep-Space Telecommunications Road Map, pp. 1–20.

See Edwards, Jr., C. D.

**Dick, G. J.**

42-134 Design of a Cryocooled Sapphire Oscillator for the Cassini Ka-Band Experiment, pp. 1–10.

R. T. Wang

**Divsalar, D.**

42-133 Code Performance as a Function of Block Size, pp. 1–23.

See Dolinar, S.

42-134 On the Design of Concatenated Coding Systems With Interleavers, pp. 1–22.

R. J. McEliece

**Dolinar, S.**

- 42-133 Code Performance as a Function of Block Size, pp. 1–23.  
D. Divsalar and F. Pollara
- 42-136 Synchronization Markers for Error Containment in Compressed Data, pp. 1–40.  
See Kiely, A.

**Edwards, Jr., C. D.**

- 42-136 NASA's Deep-Space Telecommunications Road Map, pp. 1–20.  
C. T. Stelzried, L. J. Deutsch, and L. Swanson

**Fernandez, J. E.**

- 42-135 A Noise-Temperature Measurement System Using a Cryogenic Attenuator, pp. 1–9.

**Forouhar, S.**

- 42-135 Recent Results With Coupled Opto-Electronic Oscillators, pp. 1–8.  
See Yao, X. S.

**Gawronski, W.**

- 42-135 Design and Performance of the DSS-14 Antenna Controller, pp. 1–9.  
H. G. Ahlstrom, Jr., and A. B. Bernardo
- 42-136 Command Preprocessor for the Beam-Waveguide Antennas, pp. 1–10.

**Goldstein, R. M.**

- 42-133 Summary of Goldstone Orbital Debris Observations: October 1996 to May 1997, pp. 1–7.

**Golshan, N.**

- 42-136 Preliminary Downlink Design and Performance Assessment for Advanced Radio Interferometry Between Space and Earth (ARISE), pp. 1–20.  
See Yan, T.-Y.

**Goltz, G.**

42-134 Remote Operations of the Deep Space Network Radio Science Subsystem, pp. 1–10.

See Caetta, J.

**Gorham, P. W.**

42-133 Designing Optimal Bandwidth Synthesis Arrays for VLBI, pp. 1–27.

**Gray, A.**

42-136 Preliminary Downlink Design and Performance Assessment for Advanced Radio Interferometry Between Space and Earth (ARISE), pp. 1–20.

See Yan, T.-Y.

**Hemmati, H.**

42-136 Preliminary Downlink Design and Performance Assessment for Advanced Radio Interferometry Between Space and Earth (ARISE), pp. 1–20.

See Yan, T.-Y.

**Huang, J.**

42-136 Mars Rover Antenna for Solar-Array Integration, pp. 1–13.

**Jacobs, C. S.**

42-133 The JPL Extragalactic Radio Reference Frame: Astrometric Results of 1978–96 Deep Space Network VLBI, pp. 1–55.

O. J. Sovers, C. J. Naudet, R. F. Coker, and R. P. Branson

42-134 Phase Calibration Tone Processing With the Block II VLBI Correlator, pp. 1–22.

**Ji, Y.**

42-135 A Dual-Loop Opto-Electronic Oscillator, pp. 1–8.

See Yao, X. S.

**Kiasaleh, K.**

42-135 T-PPM: A Novel Modulation Scheme for Optical Communication Systems Impaired by Pulse-Width Inaccuracies, pp. 1–16.

T.-Y. Yan

**Kiely, A.**

42-136 Synchronization Markers for Error Containment in Compressed Data, pp. 1–40.

S. Dolinar, M. Klimesh, and A. Matache

**Kinman, P. W.**

42-135 Flexible Carrier Loop Design for the Spacecraft Transponding Modem (STM), pp. 1–11.

See Berner, J. B.

**Klimesh, M.**

42-136 Synchronization Markers for Error Containment in Compressed Data, pp. 1–40.

See Kiely, A.

**Kuang, D.**

42-134 Autonomous Formation Flyer (AFF) Sensor Technology Development, pp. 1–21.

See Purcell, G.

**Kuo, H.**

42-133 Analysis of Radio Frequency Interference to the Deep Space Network From a Constellation of Low Earth Orbit Satellites, pp. 1–9.

**Lam, L.**

42-134 Power Spectrum of MSK-Type Modulations in the Presence of Data Imbalance, pp. 1–20.

See Simon, M. K.

**Lanyi, G.**

42-133 Determination of the Tropospheric Fluctuation Coefficients in VLBI Parameter Estimates, pp. 1–6.

**Layland, J. M.**

- 42-135 Flexible Carrier Loop Design for the Spacecraft Transponding Modem (STM), pp. 1–11.  
See Berner, J. B.

**Lichten, S. M.**

- 42-133 Concepts for Automated, Precise Low Earth Orbiter Navigation With the Global Positioning System, pp. 1–13.  
C. L. Thornton, L. E. Young, and T. P. Yunck
- 42-134 Autonomous Formation Flyer (AFF) Sensor Technology Development, pp. 1–21.  
See Purcell, G.

**Lo, V. Y.**

- 42-134 Spectral Analysis Tool (SAT) for Radio-Frequency Interference Analysis and Spectrum Management, pp. 1–11.  
F. Chen and J. Rucker

**Lutes, G.**

- 42-135 A Dual-Loop Opto-Electronic Oscillator, pp. 1–8.  
See Yao, X. S.

**Maleki, L.**

- 42-135 A Dual-Loop Opto-Electronic Oscillator, pp. 1–8.  
See Yao, X. S.
- 42-135 Recent Results With Coupled Opto-Electronic Oscillators, pp. 1–8.  
See Yao, X. S.

**Matache, A.**

- 42-136 Synchronization Markers for Error Containment in Compressed Data, pp. 1–40.  
See Kiely, A.

**McEliece, R. J.**

42-134 On the Design of Concatenated Coding Systems With Interleavers, pp. 1–22.

See Divsalar, D.

**Mittskus, A.**

42-136 Preliminary Downlink Design and Performance Assessment for Advanced Radio Interferometry Between Space and Earth (ARISE), pp. 1–20.

See Yan, T.-Y.

**Mudgway, D. J.**

42-133 Deep Space Network Support for the Galileo Mission to Jupiter: Jupiter Orbital Operations From Post-Jupiter Orbit Insertion Through the End of the Prime Mission, pp. 1–23.

See Beyer, P. E.

**Naudet, C. J.**

42-133 The JPL Extragalactic Radio Reference Frame: Astrometric Results of 1978–96 Deep Space Network VLBI, pp. 1–55.

See Jacobs, C. S.

**Noca, M.**

42-136 Preliminary Downlink Design and Performance Assessment for Advanced Radio Interferometry Between Space and Earth (ARISE), pp. 1–20.

See Yan, T.-Y.

**F. Pollara**

42-133 Code Performance as a Function of Block Size, pp. 1–23.

See Dolinar, S.

**Portillo, A.**

42-136 Tracking Performance Analysis and Simulation of the Digital Pointing System for the Optical Communication Demonstrator, pp. 1–13.

See Racho, C.



**Purcell, G.**

42-134 Autonomous Formation Flyer (AFF) Sensor Technology Development, pp. 1–21.

D. Kuang, S. Lichten, S.-C. Wu, and L. Young

**Racho, C.**

42-136 Tracking Performance Analysis and Simulation of the Digital Pointing System for the Optical Communication Demonstrator, pp. 1–13.

A. Portillo

**Rucker, J.**

42-134 Spectral Analysis Tool (SAT) for Radio-Frequency Interference Analysis and Spectrum Management, pp. 1–11.

See Lo, V. Y.

**Simon, M. K.**

42-133 Carrier Synchronization of Offset Quadrature Phase-Shift Keying, pp. 1–33.

42-133 The Power Spectrum of Pulse-Position Modulation With Dead Time and Pulse Jitter, pp. 1–5.

See Vilnrotter, V. A.

42-134 Power Spectrum of MSK-Type Modulations in the Presence of Data Imbalance, pp. 1–20.

P. Arabshahi, L. Lam, and T.-Y. Yan

42-136 Trellis-Coded Quadrature-Phase-Shift Keying (QPSK) With Variable Overlapped Raised-Cosine Pulse Shaping, pp. 1–16.

P. Arabshahi and M. Srinivasan

**Sovers, O. J.**

42-133 The JPL Extragalactic Radio Reference Frame: Astrometric Results of 1978–96 Deep Space Network VLBI, pp. 1–55.

See Jacobs, C. S.

**Srinivasan, M.**

- 42-133 Performance of the Optimum Receiver for Pulse-Position Modulation Signals With Avalanche Photodiode Statistics, pp. 1–10.  
V. Vilnrotter
- 42-134 Symbol-Error Probabilities for Pulse-Position Modulation Signaling With an Avalanche Photodiode Receiver and Gaussian Thermal Noise, pp. 1–11.  
V. Vilnrotter
- 42-135 Receiver Structure and Performance for Trellis-Coded Pulse-Position Modulation in Optical Communication Systems, pp. 1–11.
- 42-136 Trellis-Coded Quadrature-Phase-Shift Keying (QPSK) With Variable Overlapped Raised-Cosine Pulse Shaping, pp. 1–16.  
See Simon, M. K.

**Stelzried, C. T.**

- 42-136 NASA's Deep-Space Telecommunications Road Map, pp. 1–20.  
See Edwards, Jr., C. D.

**Swanson, L.**

- 42-136 NASA's Deep-Space Telecommunications Road Map, pp. 1–20.  
See Edwards, Jr., C. D.

**Thornton, C. L.**

- 42-133 Concepts for Automated, Precise Low Earth Orbiter Navigation With the Global Positioning System, pp. 1–13.  
See Lichten, S. M.

**Torres, R. G.**

- 42-133 Deep Space Network Support for the Galileo Mission to Jupiter: Jupiter Orbital Operations From Post-Jupiter Orbit Insertion Through the End of the Prime Mission, pp. 1–23.  
See Beyer, P. E.

**Tsou, H.**

42-135 The Effect of Phase and Amplitude Imbalance on the Performance of Offset Quadrature Phase-Shift-Keyed (OQPSK) Communication Systems, pp. 1–15.

42-136 Maximum-Likelihood-Based Acquisition and Tracking Scheme for Downlink Optical Telemetry, pp. 1–11.

T.-Y. Yan

**Tu, M.**

42-135 A Dual-Loop Opto-Electronic Oscillator, pp. 1–8.

See Yao, X. S.

**Vilnrotter, V.**

42-133 Performance of the Optimum Receiver for Pulse-Position Modulation Signals With Avalanche Photodiode Statistics, pp. 1–10.

See Srinivasan, M.

42-133 The Power Spectrum of Pulse-Position Modulation With Dead Time and Pulse Jitter, pp. 1–5.

M. K. Simon and T.-Y. Yan

42-134 Symbol-Error Probabilities for Pulse-Position Modulation Signaling With an Avalanche Photodiode Receiver and Gaussian Thermal Noise, pp. 1–11.

See Srinivasan, M.

**Wang, C. C.**

42-136 Preliminary Downlink Design and Performance Assessment for Advanced Radio Interferometry Between Space and Earth (ARISE), pp. 1–20.

See Yan, T.-Y.

**Wang, R. T.**

42-134 Design of a Cryocooled Sapphire Oscillator for the Cassini Ka-Band Experiment, pp. 1–10.

See Dick, G. J.

**Wilson, K. E.**

42-135 An Earth-to-Deep-Space Optical Communications System With Adaptive Tilt and Scintillation Correction Using Near-Earth Relay Mirrors, pp. 1–7.

See Armstrong, J. W.

**Wu, C.**

42-135 Recent Results With Coupled Opto-Electronic Oscillators, pp. 1–8.

See Yao, X. S.

**Wu, S.-C.**

42-134 Autonomous Formation Flyer (AFF) Sensor Technology Development, pp. 1–21.

See Purcell, G.

**Yan, T.-Y.**

42-133 The Power Spectrum of Pulse-Position Modulation With Dead Time and Pulse Jitter, pp. 1–5.

See Vilnrotter, V. A.

42-134 Power Spectrum of MSK-Type Modulations in the Presence of Data Imbalance, pp. 1–20.

See Simon, M. K.

42-135 T-PPM: A Novel Modulation Scheme for Optical Communication Systems Impaired by Pulse-Width Inaccuracies, pp. 1–16.

See Kiasaleh, K.

42-136 Maximum-Likelihood-Based Acquisition and Tracking Scheme for Downlink Optical Telemetry, pp. 1–11.

See Tsou, H.

42-136 Preliminary Downlink Design and Performance Assessment for Advanced Radio Interferometry Between Space and Earth (ARISE), pp. 1–20.

C. C. Wang, A. Gray, H. Hemmati, A. Mittskus, N. Golshan, and M. Noca

**Yao, X. S.**

42-135 A Dual-Loop Opto-Electronic Oscillator, pp. 1–8.

L. Maleki, Y. Ji, G. Lutes, and M. Tu

42-135 Recent Results With Coupled Opto-Electronic Oscillators, pp. 1–8.

L. Maleki, C. Wu, L. Davis, and S. Forouhar

**Yeh, C.**

42-135 An Earth-to-Deep-Space Optical Communications System With Adaptive Tilt and Scintillation Correction Using Near-Earth Relay Mirrors, pp. 1–7.

See Armstrong, J. W.

**Yetter, B. G.**

42-133 Deep Space Network Support for the Galileo Mission to Jupiter: Jupiter Orbital Operations From Post-Jupiter Orbit Insertion Through the End of the Prime Mission, pp. 1–23.

See Beyer, P. E.

**Young, L. E.**

42-133 Concepts for Automated, Precise Low Earth Orbiter Navigation With the Global Positioning System, pp. 1–13.

See Lichten, S. M.

42-134 Autonomous Formation Flyer (AFF) Sensor Technology Development, pp. 1–21.

See Purcell, G.

**Yunck, T. P.**

42-133 Concepts for Automated, Precise Low Earth Orbiter Navigation With the Global Positioning System, pp. 1–13.

See Lichten, S. M.